













MINI SAS SFF-8654 8i					
Mini sas (SFF8654 8i) TO Mini sas (SFF8654 8i)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
1		samples	21.35	1-2 weeks	32AWG silver-plated copper Impedance: 85 ohms; 24G PKG:1PCS/PE Bag
		0.5M	21.35	1-2 weeks	
		0.8M	23.86	1-2 weeks	
Mini sas (SFF8654 8i) TO Mini sas (SFF8654 8i) 90°		Length(M)	PRICE(USD/PCS)	L/T	SPEC
2		samples	22.61	1-2 weeks	32AWG silver-plated copper Impedance: 85 ohms; 24G PKG:1PCS/PE Bag
		0.5M	22.61	1-2 weeks	
		0.8M	25.12	1-2 weeks	
Mini sas (SFF8654 8i) TO 2*Mini sas (SFF8654 4i)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
3		samples	24.62	1-2 weeks	32AWG silver-plated copper Impedance: 85 ohms; 24G PKG:1PCS/PE Bag
		0.5M	24.62	1-2 weeks	
		0.8M	29.64	1-2 weeks	
Mini sas (SFF8654 8i) TO 2*Mini sas hd(SFF8643)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
4		samples	24.12	1-2 weeks	32AWG silver-plated copper Impedance: 85 ohms; 12G PKG:1PCS/PE Bag
		0.5M	24.12	1-2 weeks	
		0.8M	29.14	1-2 weeks	
Mini sas (SFF8654 8i) TO 2*Mini sas (SFF8087)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
5		samples	24.62	1-2 weeks	32AWG silver-plated copper Impedance: 85 ohms; 12G PKG:1PCS/PE Bag
		0.5M	24.62	1-2 weeks	
		0.8M	27.63	1-2 weeks	
MINI SAS SFF-8654 4i					
Mini sas (SFF8654 4i) TO Mini sas (SFF8654 4i)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
6		samples	8.79	1-2 weeks	32AWG silver-plated copper Impedance: 85 ohms; 24G PKG:1PCS/PE Bag
		0.5M	8.79	1-2 weeks	
		1M	11.30	1-2 weeks	
Mini sas (SFF8654 4i) TO Mini sas hd(SFF8643)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
7		samples	8.79	1-2 weeks	30AWG silver-plated copper Impedance: 100 ohms; 12G PKG:1PCS/PE Bag
		0.5M	8.79	1-2 weeks	
		1M	10.80	1-2 weeks	
Mini sas (SFF8654 4i) TO 4SATA 7PIN		Length(M)	PRICE(USD/PCS)	L/T	SPEC
8		samples	8.79	1-2 weeks	30AWG silver-plated copper Impedance: 100 ohms; 6G PKG:1PCS/PE Bag
		0.5M	8.04	1-2 weeks	
		1M	10.05	1-2 weeks	
Mini sas (SFF8654 4i) TO 36P SFF8087		Length(M)	PRICE(USD/PCS)	L/T	SPEC
9		samples	8.79	1-2 weeks	30AWG silver-plated copper Impedance: 100 ohms; 12G PKG:1PCS/PE Bag
		0.5M	8.79	1-2 weeks	
		1M	10.05	1-2 weeks	
MINI SAS SFF-8643					
MINISAS (SFF8643) TO MINISAS (SFF8643)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
10		samples	8.79	1-2 weeks	30AWG silver-plated copper Impedance: 100 ohms; 12G PKG:1PCS/PE Bag
		0.5M	8.79	1-2 weeks	
		1M	10.05	1-2 weeks	

MINISAS (SFF8643) TO MINISAS 36PIN(SFF8087)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
11		samples	8.79	1-2 weeks	30AWG silver-plated copper Impedance: 100 ohms; 12G PKG: PE Bag; 100pcs/Carton;
		0.5M	8.54	1-2 weeks	
		1M	9.80	1-2 weeks	
MINISAS (SFF8643) TO 4*SATA 7PIN		Length(M)	PRICE(USD/PCS)	L/T	SPEC
12		samples	7.54	1-2 weeks	30AWG silver-plated copper Impedance: 100 ohms; 6G PKG:1PCS/PE Bag
		0.5M	7.54	1-2 weeks	
		1M	8.79	1-2 weeks	
MINISAS (SFF8643) TO 4*SATA 7PIN		Length(M)	PRICE(USD/PCS)	L/T	SPEC
13		samples	9.55	1-2 weeks	30AWG silver-plated copper Impedance: 100 ohms; 6G PKG:1PCS/PE Bag
		0.5M	8.04	1-2 weeks	
		1M	9.55	1-2 weeks	
MINISAS (SFF8643) TO 4*SAS 29PIN(SFF8482)+POWER		Length(M)	PRICE(USD/PCS)	L/T	SPEC
14		samples	8.79	1-2 weeks	30AWG silver-plated copper Impedance: 100 ohms; 6G PKG:1PCS/PE Bag
		1M	8.79	1-2 weeks	
MINISAS (SFF8643)90° TO MINISAS 36PIN(SFF8087)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
15		samples	9.55	1-2 weeks	30AWG silver-plated copper Impedance: 100 ohms; 12G PKG:1PCS/PE Bag
		0.5M	9.55	1-2 weeks	
		1米	11.56	1-2 weeks	
MINISAS (SFF8643) TO MINISAS 36PIN(SFF8087)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
16		samples	9.55	1-2 weeks	30AWG silver-plated copper Impedance: 100 ohms; 12G PKG:1PCS/PE Bag
		0.5M	9.55	1-2 weeks	
MINI SAS SFF-8087					
MINISAS 36PIN(SFF8087) TO MINISAS 36PIN(SFF8087)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
17		samples	3.77	1-2 weeks	30AWG tinned copper, Impedance: 100 ohms; 12G PKG:1PCS/PE Bag
		0.5M	3.77	1-2 weeks	
		1M	4.27	1-2 weeks	
MINISAS 36PIN(SFF8087) TO MINISAS 36PIN(SFF8087 90°)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
18		samples	6.28	1-2 weeks	30AWG tinned copper, Impedance: 100 ohms; 12G PKG:1PCS/PE Bag
		0.8M	6.28	1-2 weeks	
MINISAS (SFF8087) TO 4*SATA (90°)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
19		samples	3.52	1-2 weeks	30AWG tinned copper, Impedance: 100 ohms; 6G PKG:1PCS/PE Bag
		0.5M	3.52	1-2 weeks	
		1M	4.02	1-2 weeks	
MINISAS 36PIN(SFF8087) TO 4*SATA 7PIN		Length(M)	PRICE(USD/PCS)	L/T	SPEC
20		samples	3.27	1-2 weeks	30AWG tinned copper, Impedance: 100 ohms; 6G PKG:1PCS/PE Bag
		0.5M	3.27	1-2 weeks	
		1M	3.77	1-2 weeks	
MINISAS 36PIN(SFF8087) TO 4*SAS 29PIN(SFF8482)+POWER		Length(M)	PRICE(USD/PCS)	L/T	SPEC
21		samples	7.54	1-2 weeks	30AWG tinned copper, Impedance: 100 ohms; 6G PKG:1PCS/PE Bag
		1M	7.54	1-2 weeks	
MINISAS 36PIN(SFF8087) TO 4*SAS 29PIN(SFF8482)+POWER		Length(M)	PRICE(USD/PCS)	L/T	SPEC
22		samples	7.03	1-2 weeks	30AWG tinned copper, Impedance: 100 ohms; 6G PKG:1PCS/PE Bag
		1M	7.03	1-2 weeks	

MINISAS 36PIN(SFF8087) TO 4*SAS 29PIN(SFF8482)+15PIN		Length(M)	PRICE(USD/PCS)	L/T	SPEC
23		samples	7.54	1-2 weeks	30AWG tinned copper, Impedance: 100 ohms; 6G PKG:1PCS/PE Bag
		0.5M	7.54	1-2 weeks	
		1M	8.79	1-2 weeks	
MINISAS 36PIN(SFF8087) TO 4*SAS 29PIN(SFF8482)+15PIN		Length(M)	PRICE(USD/PCS)	L/T	SPEC
24		samples	9.04	1-2 weeks	30AWG tinned copper, Impedance: 100 ohms; 6G PKG:1PCS/PE Bag
		1M	9.04	1-2 weeks	
MINISAS 36PIN(SFF8087) TO 4*SATA 7PIN		Length(M)	PRICE(USD/PCS)	L/T	SPEC
25		samples	4.52	1-2 weeks	30AWG tinned copper, Impedance: 100 ohms; 6G PKG:1PCS/PE Bag
		0.5M	4.52	1-2 weeks	
		1M	6.28	1-2 weeks	
MINISAS 36PIN(SFF8087) TO RJ45		Length(M)	PRICE(USD/PCS)	L/T	SPEC
26		samples	5.53	1-2 weeks	30AWG tinned copper, Impedance: 100 ohms; PKG:1PCS/PE Bag
		0.5M	5.53	1-2 weeks	
SATA					
SATA 7PIN TO 29PIN(SFF8482)+15PIN		Length(M)	PRICE(USD/PCS)	L/T	SPEC
27		samples	1.63	1-2 weeks	30AWG tinned copper, Impedance: 100 ohms; 6G PKG:1PCS/PE Bag
		0.5M	1.63	1-2 weeks	
4*SATA 7PIN TO 4*SATA 7PIN		Length(M)	PRICE(USD/PCS)	L/T	SPEC
28		samples	4.52	1-2 weeks	30AWG tinned copper, Impedance: 100 ohms; 6G PKG:1PCS/PE Bag
		1M	4.52	1-2 weeks	
SATA 7PIN TO SATA 7PIN		Length(M)	PRICE(USD/PCS)	L/T	SPEC
29		samples	0.75	1-2 weeks	30AWG tinned copper, Impedance: 100 ohms; 6G PKG:1PCS/PE Bag
		0.2M	0.75	1-2 weeks	
MINI SAS SFF-8644					
MINISAS (SFF8644) TO MINISAS (SFF8644)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
1		samples	18.84	1-2 weeks	8P*30AWG,silver-plated copper Impedance: 100 ohms; 12G PKG:1PCS/PE Bag
		1M	18.84	1-2 weeks	
		2M	21.35	1-2 weeks	
MINISAS (SFF8644) TO MINISAS (SFF8088)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
2		samples	18.84	1-2 weeks	8P*30AWG silver-plated copper Impedance: 100 ohms; 12G PKG:1PCS/PE Bag
		1M	18.84	1-2 weeks	
		2M	21.35	1-2 weeks	
MINISAS (SFF8644) TO MINISAS 36PIN(SFF8087)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
3		samples	17.58	1-2 weeks	8P*30AWG,silver-plated copper Impedance: 100 ohms; 10G PKG:1PCS/PE Bag
		1M	17.58	1-2 weeks	
		2M	20.10	1-2 weeks	
MINISAS (SFF8644) TO MINISAS (SFF8643)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
4		samples	18.09	1-2 weeks	8P*30AWG, silver-plated copper Impedance: 100 ohms; 12G PKG:1PCS/PE Bag
		1M	18.09	1-2 weeks	
		2M	20.60	1-2 weeks	

MINISAS (SFF8644) TO 4*(SFF8482)+POWER		Length(M)	PRICE(USD/PCS)	L/T	SPEC
5		samples	22.61	1-2 weeks	8P*30AWG,silver-plated copper Impedance: 100 ohms; 6G PKG:1PCS/PE Bag
		1M	22.61	1-2 weeks	
		2M	26.38	1-2 weeks	
MINISAS (SFF8644) TO 4*SATA 7PIN		Length(M)	PRICE(USD/PCS)	L/T	SPEC
6		samples	17.08	1-2 weeks	8P*30AWG,silver-plated copper Impedance: 100 ohms;6G PKG:1PCS/PE Bag
		1M	17.08	1-2 weeks	
		2M	19.59	1-2 weeks	
MINI SAS SFF-8088					
MINISAS 26PIN(SFF8088) TO SAS 36PIN(SFF8087)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
7		samples	10.80	1-2 weeks	8P30AWG,silver-plated copper Impedance: 100 ohms;10G PKG:1PCS/PE Bag
		1M	10.80	1-2 weeks	
		2M	13.82	1-2 weeks	
MINISAS 26PIN(SFF8088) TO 4*SATA 7PIN		Length(M)	PRICE(USD/PCS)	L/T	SPEC
8		samples	11.30	1-2 weeks	8P*30AWGsilver-plated copper Impedance: 100 ohms;6G PKG:1PCS/PE Bag
		1M	10.80	1-2 weeks	
		2M	13.82	1-2 weeks	
MINISAS 26PIN(SFF8088) TO SAS 26PIN(SFF8088)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
9		samples	11.30	1-2 weeks	8P*30AWGsilver-plated copper Impedance: 100 ohms;12G PKG:1PCS/PE Bag
		1M	11.30	1-2 weeks	
		2M	14.57	1-2 weeks	
		3M	19.09	1-2 weeks	
MINI SAS 26PIN(SFF8088) TO 4*SAS 29PIN(SFF8482)+POWER		Length(M)	PRICE(USD/PCS)	L/T	SPEC
10		samples	12.06	1-2 weeks	8P*30AW,Gsilver-plated copper Impedance: 100 ohms;6G PKG:1PCS/PE Bag
		1M	12.06	1-2 weeks	
		2M	15.07	1-2 weeks	
TO MINISAS (SFF8643) TO MINISAS 26PIN (SFF8088)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
11		samples	20.10	1-2 weeks	30AWG silver-plated copper Impedance: 100 ohms; PKG:1PCS/PE Bag
		0.6M	20.10	1-2 weeks	
			0.00		
MINISAS 26PIN (SFF8088) TO 4SATA 7PIN		Length(M)	PRICE(USD/PCS)	L/T	SPEC
12		samples	17.58	1-2 weeks	30AWG silver-plated copper Impedance: 100 ohms; PKG:1PCS/PE Bag
		0.6M	17.58	1-2 weeks	
MINISAS 26PIN (SFF8088) TO MINISAS (SFF8087)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
13		samples	20.10	1-2 weeks	30AWG silver-plated copper Impedance: 100 ohms; PKG:1PCS/PE Bag
		0.6M	20.10	1-2 weeks	
MINISAS 26PIN (SFF8088) TO (SFF8087)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
14		samples	22.11	1-2 weeks	PCB 100ohm; PKG:1PCS/PE Bag
		0.6M	21.35	1-2 weeks	

DAC QSFP SFP+					
10G SFP+		Length(M)	PRICE(USD/PCS)	L/T	SPEC
1		samples	16.58	1-2 weeks	10GBase-CU DAC Cable, 0.5-3m, Passive, 30AWG
		0.5M	16.58	1-2 weeks	
		1M	16.58	1-2 weeks	
		2M	18.09	1-2 weeks	
		3M	19.59	1-2 weeks	10GBase-CU DAC Cable, 5-7m, Passive, 24AWG
		5M	29.64	1-2 weeks	
		7M	35.92	1-2 weeks	
40G QSAP TO 4*SFP (MCU)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
2		samples	49.74	1-2 weeks	40GBase-CU DAC Cable, 0.5-3m, Passive, 30AWG,
		0.5M	49.74	1-2 weeks	
		1M	52.75	1-2 weeks	
		2M	58.78	1-2 weeks	
		3M	64.81	1-2 weeks	
		5M	117.57	1-2 weeks	40GBase-CU DAC Cable, 5-m, Passive, 26AWG,
40G QSAP TO QSFP (MCU)		Length(M)	PRICE(USD/PCS)	L/T	SPEC
3		samples	33.16	1-2 weeks	40GBase-CU DAC Cable 0.5-2m, Passive, 30AWG
		0.5M	33.16	1-2 weeks	
		1M	34.67	1-2 weeks	
		2M	40.70	1-2 weeks	
		3M	55.27	1-2 weeks	40GBase-CU DAC Cable 3-m, Passive, 28AWG
100G QSFP28-4*SFP28		Length(M)	PRICE(USD/PCS)	L/T	SPEC
4		samples	70.84	1-2 weeks	100GBase-CR4 DAC Cable, 0.5-3m, Passive, 30AWG,
		1M	70.84	1-2 weeks	
		2M	88.93	1-2 weeks	
		3M	107.01	1-2 weeks	
		5M	186.90	1-2 weeks	100GBase-CR4 DAC Cable, 5-m, Passive, 26AWG,
100G QSFP28-2x50G QSFP		Length(M)	PRICE(USD/PCS)	L/T	SPEC
5		samples	61.80	1-2 weeks	100G to 2x50G DAC Cable, 0.5-3m, Passive, 30AWG,
		0.5M	61.80	1-2 weeks	
		1M	68.83	1-2 weeks	
		2M	87.42	1-2 weeks	
		3M	105.51	1-2 weeks	
100G QSFP28-QSFP28		Length(M)	PRICE(USD/PCS)	L/T	SPEC
6		samples	43.96	1-2 weeks	100GBase-CR4 DAC Cable, 0.5-3m, Passive, 30AWG,
		1M	43.96	1-2 weeks	
		2M	61.80	1-2 weeks	
		3M	74.86	1-2 weeks	
		5M	126.61	1-2 weeks	100GBase-CR4 DAC Cable, 5-m, Passive, 26AWG,

25G SFP28		Length(M)	PRICE(USD/PCS)	L/T	SPEC
7		samples	22.61	1-2 weeks	25GBase-CU DAC Cable 1-3m, Passive, 30AWG,
		1M	22.61	1-2 weeks	
		2M	27.13	1-2 weeks	
		3M	31.65	1-2 weeks	
		5M	31.90	1-2 weeks	25GBase-CU DAC Cable 5-m, Passive, 26AWG

1. Lead Time: 1-2 weeks
2. Delivery Term: EXW China